Glossary



Belgotex Floors provides a 5-year guarantee against any latent defect in the manufacture of this carpet.



Belgotex Floors provides a 10-year limited warranty against excessive fibre wear on this carpet.



Belgotex Floors provides a 15-year limited warranty against excessive fibre wear on this carpet.



Belgotex Floors provides a 20-year limited warranty against excessive fibre wear on this carpet. Only applicable when carpet is installed on Orange or Blue undercushion or Green underlay.



Our quality management system is certified to SABS ISO 9001:2000.



Our environmental management system is certified to SABS ISO 14001.



Airborne dust and irritants can cause allergic reactions. Unlike hard flooring, carpeting helps to trap airborne dust and irritants, which can then be removed with regular vacuuming.



Nylon, Solution Dyed for X-treme conditions.



This product is environmentallyfriendly and recyclable.



Nylon, Solution Dyed for X-treme conditions.







This carpet is colourfast, stain resistant, anti-microbial and anti-allergenic. An equal mixture of clear household bleach and water removes most stains.



General/Medium














This carpet contains recycled content.









This product is suitable for areas with light commercial use.

This product is suitable for heavy traffic, in areas such as offices, shops, hotel bars, hotel lounges etc.

This carpet is suitable for very heavy traffic areas, such as public buildings, busy offices, restaurants, meeting areas, department stores and schools.

This product is suitable for heavy traffic, in areas such as domestic rooms, residential lounges, passages, play rooms and hotel bedrooms.

Suitable for stairs in homes. Protect edges with stair nosing.

Suitable for rooms with underfloor heating.

Belgotex Floors is a member of the Green Building Council of South Africa.

Made in South Africa from local and imported materials.

The pile lying in different directions has varied effects on light reflection. This is a desirable characteristic called shading, and by no means a defect.

Belgotex Floors recommends the fitting of Blue Undercushion (sold separately) in all commercial tufted and woven installations to enhance performance and improve underfoot comfort.





Glossary



The environmentally friendly option of underlay. Made from 100% recycled material, anti- allergenic and adds comfort and extended life to carpet. Sold separately.



Antibacterial.



Moisture resistant, rot proof and odour-free backing.



Treated with Evercare™, new patented surface treatment, providing unrivalled level of maintenance and chemical resistance. Evercare™ treatment is micro-structured, cross-coat polymerised, using laser technology and is acting as a barrier against stains and chemical aggression.



Premium multi-layered eco-friendly backing. Tiles only. Available on request.



It receives a protective PU factory seal: a good foundation for routine maintenance.



Moisture resistant, rot proof and odour-free backing. Available in 4m

Premium multi-layered backing.

Tiles only.

width.



A multi-specialist group that creates, manufactures and markets innovative, decorative and eco-responsible solutions for flooring.



FUSION & BAC

Eco Only Secondary backing system for tiles. Available on request.



Fire rating.



Highly durable, pure resin backing.



Slip resistant.



Belgotex Floors provides a 2-year guarantee against any latent defect in the manufacture of this carpet.



Static Electrical Propensity.



This product is declared lead-free.



Formaldehyde emission HCHO.



This product carries a Belgotex Floors 6-year UV resistance warranty.



Belgotex Floors provides a 10-year commercial warranty.



This product carries a Belgotex Floors 2-year UV resistance warranty.



Belgotex Floors provides a 20-year residential warranty.

ISO 9001

This product is suitable for areas with light commercial use.



Belgotex Floors provides a 7-year commercial warranty.



ISO 14001

Environmental management system is certified to ISO 14001.



Belgotex Floors provides a 15-year residential warranty.



Belgotex Floors is a member of the Southern African Vinyls Association.

Glossary



Belgotex Floors manufactures GreenTag certified eco-products.



Conforms to European norms and standards.



This product is water-resistant.



OSCScertified

VOC tested.



UNILIN Patented Clic Profile.



This product is self-adhesive and can be easily re-installed.



This product complies with best practice as prescribed by the South African Vinyl Association PSP.



South African Sports and Play Industry for the improvement of the standing of the sports surfaces industry and to promote the participation of all role-players in this industry in Southern Africa.



Belgotex Floors provides a 5-year residential warranty.



Belgotex Floors provides a 10-year commercial warranty.



Extra long planks – technical innovation of printing and embossing techniques result in the natural look of a real wooden floor.



Greater durability and easy cleaning. The protective top coat reduces scuffing and staining, making your floor easy to clean.



Surface recovery – the resilient foam backing ensures surface recovery and appearance retention.



A dense polymer backing with excellent indentation resistance for those heavy use areas.



A polymer foam backing with excellent sound absorbing qualities providing warmth and comfort underfoot.



Belgotex Floors recommends Black underlay for Luxury Vinyl Tiles with a click/lock system. Sold separately.

Colour Disclaimer: While every effort is made to accurately represent the colour of our flooring, actual colours cannot be guaranteed to be identical to those in this catalogue. For best results, we recommend viewing actual colour swatches at your dealer. While all products and ranges were correct at time of going to press, the actual availability of ranges and colourways cannot be guaranteed. Belgotex Floors reserves the right to introduce, discontinue or re-colour products without warning.

Logo Disclaimer: * All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd.® BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Our warranty and guarantee are subject to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.

Total Mass: ** Weighted Average

Sizing Available: *** Also available in $60 \text{cm} \times 60 \text{cm}$, $1 \text{m} \times 50 \text{cm}$, $1 \text{m} \times 1 \text{m}$ NexBac tiles, and $30 \text{cm} \times 120 \text{cm}$ NexBac plank tiles. As these sizes are not standard, minimum production quantities apply. Please contact your nearest Belgotex Floors representative for more information.